Page 1/9

\*

\*



٦

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.04.2017

Version number 35

Revision: 14.04.2017

	IOTIP® WAZ	XCOATING TRANSPARENT BROWN 500 ML
		of the substance or mixture and uses advised against
SU22 Professi Product catego Process catego	onal uses: Pu ry PC9a Coo ry	ate households / general public / consumers iblic domain (administration, education, entertainment, services, craftsmen) atings and paints, thinners, paint removers
PROC7 Indust PROC11 Non		
Environmental	release categ	ory
ERC8d Wides	pread use of n	non-reactive processing aid (no inclusion into or onto article, indoor) non-reactive processing aid (no inclusion into or onto article, outdoor) e / <b>the mixture</b> Preparation
		f the safety data sheet
Manufacturer/ MOTIP DUPLI		
Wolfraamweg 2	2	
NL- 8471 XC W The Netherland	0	
ine weinerund	3	
Tel: +31 (0)56	1 694400	
Fax: +31 (0)56	1 694411	
Fax: +31 (0)56 e-mail info@nl.	1 694411 motipdupli.co	
Fax: +31 (0)56 e-mail info@nl. Further inform	1 694411 motipdupli.co a <b>tion obtaina</b>	able from: Department Product Safety
Fax: +31 (0)56 e-mail info@nl. Further inform	1 694411 motipdupli.co a <b>tion obtaina</b>	
Fax: +31 (0)56 e-mail info@nl. Further inform 1.4 Emergency	1 694411 motipdupli.co ation obtaina telephone nu	able from: Department Product Safety amber: +31 (0)561-694400 (09:00h - 17:00h)
Fax: +31 (0)56 e-mail info@nl. Further inform 1.4 Emergency	1 694411 motipdupli.co ation obtaina telephone nu	able from: Department Product Safety
Fax: +31 (0)56 e-mail info@nl. Further inform 1.4 Emergency SECTION 2 2.1 Classification	1 694411 motipdupli.co pation obtaina telephone nu : Hazards i on of the subs	able from: Department Product Safety amber: +31 (0)561-694400 (09:00h - 17:00h) dentification stance or mixture
Fax: +31 (0)56 e-mail info@nl. Further inform 1.4 Emergency SECTION 2 2.1 Classification	1 694411 motipdupli.co pation obtaina telephone nu : Hazards i on of the subs	able from: Department Product Safety amber: +31 (0)561-694400 (09:00h - 17:00h) dentification
Fax: +31 (0)56 e-mail info@nl. Further inform 1.4 Emergency SECTION 2 2.1 Classification Classification d	1 694411 motipdupli.co pation obtaina telephone nu : Hazards i on of the subs	able from: Department Product Safety amber: +31 (0)561-694400 (09:00h - 17:00h) dentification stance or mixture
Fax: +31 (0)56 e-mail info@nl. Further inform 1.4 Emergency SECTION 2 2.1 Classification Classification a GHS	1 694411 motipdupli.co ation obtaina telephone nu : Hazards i on of the subs according to I 02 flame	able from: Department Product Safety umber: +31 (0)561-694400 (09:00h - 17:00h) dentification stance or mixture Regulation (EC) No 1272/2008
Fax: +31 (0)56 e-mail info@nl. Further inform 1.4 Emergency SECTION 2 2.1 Classification Classification d	1 694411 motipdupli.co ation obtaina telephone nu : Hazards i on of the subs according to I 02 flame	able from: Department Product Safety amber: +31 (0)561-694400 (09:00h - 17:00h) dentification stance or mixture
Fax: +31 (0)56 e-mail info@nl. Further inform 1.4 Emergency SECTION 2 2.1 Classification Classification a GHS	1 694411 motipdupli.co ation obtaina telephone nu : Hazards i on of the subs according to 1 02 flame H222-H2	able from: Department Product Safety umber: +31 (0)561-694400 (09:00h - 17:00h) dentification stance or mixture Regulation (EC) No 1272/2008
Fax: +31 (0)56 e-mail info@nl. Further inform 1.4 Emergency SECTION 2 2.1 Classification Classification of GHS Aerosol 1	1 694411 motipdupli.co ation obtaina telephone nu : Hazards i on of the subs according to 1 02 flame H222-H2	able from: Department Product Safety umber: +31 (0)561-694400 (09:00h - 17:00h) dentification stance or mixture Regulation (EC) No 1272/2008
Fax: +31 (0)56 e-mail info@nl. Further inform 1.4 Emergency SECTION 2 2.1 Classification Classification a GHS Aerosol 1 GHS	1 694411 motipdupli.co ation obtaina telephone nu : Hazards i on of the subs according to 1 02 flame H222-H2	able from: Department Product Safety umber: +31 (0)561-694400 (09:00h - 17:00h) dentification stance or mixture Regulation (EC) No 1272/2008
Fax: +31 (0)56 e-mail info@nl. Further inform 1.4 Emergency SECTION 2 2.1 Classification Classification of Classification of Aerosol 1 Aerosol 1 Skin Irrit. 2	1 694411 motipdupli.co ation obtaina telephone nu : Hazards i on of the subs according to 1 02 flame H222-H2 07 H315 H336	able from: Department Product Safety umber: +31 (0)561-694400 (09:00h - 17:00h) dentification stance or mixture Regulation (EC) No 1272/2008 229 Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation.

GB

Page 2/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.04.2017

Version number 35

Revision: 14.04.2017

# Trade name: MOTIP® WAXCOATING TRANSPARENT BROWN 500 ML

(Contd. of page 1) · Hazard pictograms GHS02 GHS07 · Signal word Danger · Hazard-determining components of labelling: Naphtha (petroleum), hydrotreated light Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics · Hazard statements H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated. H315 Causes skin irritation. H336 May cause drowsiness or dizziness. H412 Harmful to aquatic life with long lasting effects. · Precautionary statements Keep out of reach of children. P102 P260 Do not breathe spray. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P251 Do not pierce or burn, even after use. P211 Do not spray on an open flame or other ignition source. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. P501 Dispose of contents/container in accordance with local regulations. · 2.3 Other hazards · Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

EC number: 921-024-6	Naphtha (petroleum), hydrotreated light	20-25%
Reg.nr.: 01-2119475514-35	🚸 Flam. Liq. 2, H225	
	🗞 Asp. Tox. 1, H304	
	Aquatic Chronic 2, H411	
	🚯 Skin Irrit. 2, H315; STOT SE 3, H336	
EC number: 919-857-5	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2%	12.5-20%
Reg.nr.: 01-2119463258-33-xxxx	aromatics	
	🕐 Flam. Liq. 3, H226	
	🐼 Asp. Tox. 1, H304	
	♦ STOT SE 3, H336	
CAS: 74-98-6	propane	12.5-20%
EINECS: 200-827-9	🚸 Flam. Gas 1, H220	
Index number: 601-003-00-5	Press. Gas C, H280	
Reg.nr.: 01-2119486944-21-xxxx		
CAS: 106-97-8	butane	10-12.5%
EINECS: 203-448-7	🛞 Flam. Gas 1, H220	
Index number: 601-004-00-0	Press. Gas C, H280	
Reg.nr.: 01-2119474691-32-xxxx		

GB

Page 3/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.04.2017

Version number 35

Revision: 14.04.2017

#### Trade name: MOTIP® WAXCOATING TRANSPARENT BROWN 500 ML

	(Co	ntd. of page 2)
CAS: 75-28-5	isobutane	10-12.5%
EINECS: 200-857-2	🚯 Flam. Gas 1, H220	
Index number: 601-004-00-0	Press. Gas C, H280	
Reg.nr.: 01-2119485395-27-xxxx		

• Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- $\cdot$  For safety reasons unsuitable extinguishing agents:
- Water
- Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

### **SECTION 6:** Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Keep away from ignition sources.
  6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.
  - Inform respective authorities in case of seepage into water course or sewage system.
- Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
- Do not flush with water or aqueous cleansing agents
- 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal prote
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

# SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection:
- Do not spray onto a naked flame or any incandescent material.
- Keep ignition sources away Do not smoke.
- Protect against electrostatic charges.

*Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.* 

(Contd. on page 4)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.04.2017

Version number 35

Revision: 14.04.2017

#### Trade name: MOTIP® WAXCOATING TRANSPARENT BROWN 500 ML

(Contd. of page 3)

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Observe official regulations on storing packagings with pressurised containers.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Protect from heat and direct sunlight.
- $\cdot$  7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

#### · Ingredients with limit values that require monitoring at the workplace:

106-97-8 butane

WEL Short-term value: 1810 mg/m<sup>3</sup>, 750 ppm Long-term value: 1450 mg/m<sup>3</sup>, 600 ppm Carc (if more than 0.1% of buta-1.3-diene)

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

- Avoid contact with the skin.
- Avoid contact with the eyes and skin.
- · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- · Penetration time of glove material
- The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection: Not required.

(Contd. on page 5)

GR

Page 5/9

\*

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.04.2017

Version number 35

Revision: 14.04.2017

#### Trade name: MOTIP® WAXCOATING TRANSPARENT BROWN 500 ML

(Contd. of page 4)

SECTION 9: Physical and che	* *			
9.1 Information on basic physical and chemical properties				
General Information Appearance:				
Form:	Aerosol			
Colour:	Brown			
Odour:	Solvent-like			
Odour threshold:	Not determined.			
pH-value:	Not determined.			
Change in condition				
Melting point/Melting range:	Undetermined.			
Boiling point/Boiling range:	Not applicable, as aerosol.			
Flash point:	<0 °C (<32 °F)			
	Not applicable, as aerosol.			
Flammability (solid, gaseous):	Not applicable.			
Ignition temperature:	> 200 °C (> 392 °F)			
Decomposition temperature:	Not determined.			
Self-igniting:	Product is not selfigniting.			
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapou mixtures are possible.			
Explosion limits:				
Lower:	0.6 Vol %			
Upper:	10.9 Vol %			
Vapour pressure at 20 °C (68 °F):	3500 hPa (2625 mm Hg)			
Density at 20 °C (68 °F):	0.66942 g/cm³ (5.586 lbs/gal)			
Relative density	Not determined.			
Vapour density	Not determined.			
Evaporation rate	Not applicable.			
Solubility in / Miscibility with				
water:	Not miscible or difficult to mix.			
Partition coefficient (n-octanol/water	r): Not determined.			
Viscosity:				
Dynamic:	Not determined.			
Kinematic:	Not determined.			
Solvent content:				
Organic solvents:	81.2 %			
EU-VOC:	543.4 g/l			
EU-VOC in %:	81.17 %			
Solids content:	18.8 %			
9.2 Other information	No further relevant information available.			

# SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

(Contd. on page 6)

GB

Page 6/9

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.04.2017

Version number 35

Revision: 14.04.2017

#### Trade name: MOTIP® WAXCOATING TRANSPARENT BROWN 500 ML

(Contd. of page 5)

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relev	vant for classification:
------------------------	--------------------------

Naphtha (j	petroleum),	hydrotreated light	
Oral	LD50	>5840 mg/kg (rat)	
		>2920 mg/kg (rabbit)	
Inhalative	LC50/4h	> 2 mg/l (rat)	

Innatative Les	,	2 mg/t (ru	<i>i</i> )		
Hydrocarbons,	<i>C9-C11</i> ,	n-alkanes,	isoalkanes,	cyclics,	<2% aromatics

11,700.0000.0	0	1, 1, and 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,
Oral	LD50	>15000 mg/kg (rat)
Dermal	LD50	>3160 mg/kg (rab)

Inhalative LC50/4 h 4951 mg/m3 (rat)

106-97-8 butane

Inhalative LC50 / 4 h 658000 mg/m3 (rat)

· Primary irritant effect:

· Skin corrosion/irritation

Causes skin irritation.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- $\cdot \textit{Reproductive toxicity Based on available data, the classification criteria are not met.}$

· STOT-single exposure

- May cause drowsiness or dizziness.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

# SECTION 12: Ecological information

#### · 12.1 Toxicity

•	
• Aquatic toxi	city:
	troleum), hydrotreated light
EC50 / 48 h	3 mg/l (Daphnia magna)
EC50 / 72 h	30-100 mg/l (Pseudokirchneriella Subcapitata)
LC50/96 h	11.4 mg/l (fish)
Hydrocarbo	ns, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics
EC50 / 72 h	>1000 mg/l (algae)
LC50 / 48 h	>1000 mg/l (daphnia magna)

LC50 / 96 h >1000 mg/l (fish)

· 12.2 Persistence and degradability No further relevant information available.

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

· Ecotoxical effects:

· Remark: Harmful to fish

(Contd. on page 7)

GB

Page 7/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.04.2017

Version number 35

Revision: 14.04.2017

#### Trade name: MOTIP® WAXCOATING TRANSPARENT BROWN 500 ML

(Contd. of page 6)

- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Harmful to aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

# **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation
- Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- · European waste catalogue

08 01 11\* waste paint and varnish containing organic solvents or other hazardous substances

15 01 04 metallic packaging

· Uncleaned packaging:

\*

· Recommendation: Non contaminated packagings may be recycled.

14.1 UN-Number		
ADR, IMDG, IATA	UN1950	
14.2 UN proper shipping name		
ADR	1950 AEROSOLS	
IMDG	AEROSOLS	
IATA	AEROSOLS, flammable	
14.3 Transport hazard class(es)		
ADR		
Class	2 5F Gases.	
Label	2.1	
IMDG, IATA		
Class	2.1	
Label	2.1	
14.4 Packing group		
ADR, IMDĞ, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Warning: Gases.	

Page 8/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.04.2017

Version number 35

Revision: 14.04.2017

#### Trade name: MOTIP® WAXCOATING TRANSPARENT BROWN 500 ML

	(Contd. of page
Danger code (Kemler):	-
EMS Number:	F-D,S-U
Stowage Code	SW1 Protected from sources of heat.
	SW22 For AEROSOLS with a maximum capacity of 1 litre.
	Category A. For AEROSOLS with a capacity above 1 litre
	Category B. For WASTE AEROSOLS: Category C, Clear
	of living quarters.
Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litre.
	Segregation as for class 9. Stow "separated from" class 1
	except for division 1.4. For AEROSOLS with a capacity
	above 1 litre: Segregation as for the appropriate
	subdivision of class 2. For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision of class 2.
14.7 Transport in bulk according to Anne	ex II of
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
Transport category	2
Tunnel restriction code	D
IMDG	
Limited quantities (LQ)	1L
Excepted quantities $(\widetilde{E}Q)$	Code: E0
	Not permitted as Excepted Quantity
UN "Model Regulation":	UN 1950 AEROSOLS, 2.1

### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

- · Seveso category P3a FLAMMABLE AEROSOLS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases
H220 Extremely flammable gas.
H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.
H280 Contains gas under pressure; may explode if heated.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H336 May cause drowsiness or dizziness.
H411 Toxic to aquatic life with long lasting effects.

· Department issuing SDS: R&D legislation and regulatory advisor

(Contd. on page 9)

GB

Page 9/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.04.2017

Version number 35

Revision: 14.04.2017

#### Trade name: MOTIP® WAXCOATING TRANSPARENT BROWN 500 ML

	(Contd. of page 8)
Contact: Mr. K. Smedeman	
Abbreviations and acronyms:	
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Reg	ulations Concerning the
International Transport of Dangerous Goods by Rail)	0
ICAO: International Civil Aviation Organisation	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement conc	cerning the International
Carriage of Dangerous Goods by Road)	0
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Flam. Gas 1: Flammable gases – Category 1	
Aerosol 1: Aerosols – Category 1	
Press. Gas C: Gases under pressure – Compressed gas	
Flam. Liq. 2: Flammable liquids – Category 2	
Flam. Liq. 3: Flammable liquids – Category 3	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
Asp. Tox. 1: Aspiration hazard – Category 1	
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2	
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3	
* Data compared to the previous version altered.	
	(